


General timing solution Training



2020v1



TimeTronics bv
Lammerdries-Oost 23B
B-2250 Olen, Belgium

www.timetronics.be - info@timetronics.be

The General Timing Solution is ideal for **game, race and training** of any kind of sports.


Photocells are connected to the General Timing Solution control box on which a standard TimeTronics timing scoreboard and scoreboard remote control are connected (optional products). The running time and result time will be shown on the scoreboard.

The standard configuration has **start stop functionality**. But can be upgraded with an optional extra photocell set which allows you to have also an intermediate or automatic reset of the time.

We use 2 different types of photocells for our General Timing Solution:

1. Configuration TTC-810 General Timing Solution with a photocell range of max. 2,5m

Reflective photocells, can detect a runner with a max distance of 2,5m from the photocells




Included in standard configuration:

- GTS Control Box
- 2 photocell pairs
- 2 tripods with L-profile
- Battery + charger


Optional:

- 6x15 Scoreboard (TTC-409)
- Extra photocell set (TTC-1002) for intermediate time/reset time



2. Configuration TTC-811 General Timing Solution with a photocell range of max. 15m

Sender and receiver with detection up to 15m from the photocell



Included in standard configuration:

- GTS Control Box
- 2 photocell pairs
- 4 tripods with L-profile
- Batteries + charger

Optional:

- 6x15 Scoreboard (TTC-409)
- Extra photocell set (TTC-84) for intermediate time/reset time

